



RBR is pleased to offer the Del Mar Oceanographic WIREWALKER™, a wave-powered profiling system where mechanical, sensing, and communication elements are all tightly integrated. The DMO WIREWALKER™ can be configured using either the RBR*concerto*³ or RBR*maestro*³ instruments.

Using the RBR*fermata* battery canister, deployments can be extended by a factor of 40 and provide power for inductive telemetry to the surface.

FEATURES

- ▶ Rapid Vertical Profiling — Powered by Ocean-waves
- ▶ Standard 300m depth profiling - available up to 1000m
- ▶ Deploy with any RBR*concerto*³ or RBR*maestro*³
- ▶ Custom sensor configuration
- ▶ Moored and drifting deployments possible
- ▶ System designed for efficiency and ease-of-use
- ▶ 6Hz profiling data to the surface
- ▶ See the RBR*cervello* data controller

SPECIFICATIONS

Dimensions	
Profiler:	~1600(h) x 600(w) x 165mm(d)
Buoy:	~900 (h) x Ø740mm
Weight	
Profiler:	~22kg in air
Buoy:	~16kg in air
Depth rating:	1000m maximum



RBR Ltd

+1 613 599 8900
info@rbr-global.com
rbr-global.com



DEL MAR OCEANOGRAPHIC
 +1 858-524-3300
www.delmarocean.com